

BAND-IT[®]

PRODUCT

BALL-LOK TIES

Ball-Lok ties are quick and easy to apply offering a versatile solution for heavy duty applications. Ball-Lok ties come with a heavy duty buckle that offers superior corrosive, abrasive and UV resistance performance that makes this product perfect for harsh duty or marine environments.

Self locking design allows fast installation

Install with tools to ensure uniform tension and clean tail cut-off for safe handling

Available in Type 304 and Type 316 stainless steels to provide good to excellent corrosion resistance in a wide variety of environments

This product line is also available with halogen

free, black epoxy selective coating which reduces the risk of cutting or abrading cable insulation or hose coverings

BALL-LOK TIES PRODUCT SPECIFICATIONS

| 304 SS UNCOATED PART NO. | 316 SS UNCOATED PART NO. | WIDTH (MM) | LENGTH (MM) | BASE MATERIAL THICKNESS (MM) | MAXIMUM BUNDLE DIAMETER (MM) | MINIMUM LOOP TENSILE STRENGTH (LBS) | PACKAGE QUANTITY |
|---------------------------------|---------------------------------|-------------------|--------------------|-------------------------------------|-------------------------------------|--|-------------------------|
| KE1118 | KE0118 | 4.6 | 150 | 0.25 | 30 | 200 | 100/Bag |
| KE1128 | KE0128 | 4.6 | 201 | 0.25 | 50 | 200 | 100/Bag |
| KE1138 | KE0138 | 4.6 | 259 | 0.25 | 69 | 200 | 100/Bag |
| KE1148 | KE0148 | 4.6 | 360 | 0.25 | 102 | 200 | 100/Bag |
| KE1158 | KE0158 | 4.6 | 520 | 0.25 | 152 | 200 | 100/Bag |
| KE1168 | KE0168 | 4.6 | 679 | 0.25 | 203 | 200 | 100/Bag |
| KE1178 | KE0178 | 4.6 | 838 | 0.25 | 254 | 200 | 100/Bag |
| KE1188 | KE0188 | 4.6 | 1067 | 0.25 | 305 | 200 | 100/Bag |
| KE1328 | KE0328 | 7.9 | 201 | 0.25 | 50 | 300 | 100/Bag |
| KE1338 | KE0338 | 7.9 | 259 | 0.25 | 69 | 300 | 100/Bag |
| KE1348 | KE0348 | 7.9 | 360 | 0.25 | 102 | 300 | 100/Bag |
| KE1358 | KE0358 | 7.9 | 520 | 0.25 | 152 | 300 | 100/Bag |
| KE1368 | KE0368 | 7.9 | 679 | 0.25 | 203 | 300 | 100/Bag |
| KE1378 | KE0378 | 7.9 | 838 | 0.25 | 254 | 300 | 100/Bag |
| KE1388 | KE0388 | 7.9 | 1067 | 0.25 | 305 | 300 | 100/Bag |
| 316 SS Coated Material | | | | | | | |
| KE0228 | | 4.6 | 201 | 0.25 | 50 | 150 | 100/Bag |
| KE0238 | | 4.6 | 259 | 0.25 | 69 | 150 | 100/Bag |

| 304 SS UNCOATED PART NO. | 316 SS UNCOATED PART NO. | WIDTH (MM) | LENGTH (MM) | BASE MATERIAL THICKNESS (MM) | MAXIMUM BUNDLE DIAMETER (MM) | MINIMUM LOOP TENSILE STRENGTH (LBS) | PACKAGE QUANTITY |
|---|---|-----------------------|------------------------|---|---|--|-----------------------------|
| KE0248 | | 4.6 | 360 | 0.25 | 102 | 150 | 100/Bag |
| KE0258 | | 4.6 | 520 | 0.25 | 152 | 150 | 100/Bag |
| KE0268 | | 4.6 | 679 | 0.25 | 203 | 150 | 100/Bag |
| KE0278 | | 4.6 | 838 | 0.25 | 254 | 150 | 100/Bag |
| KE0428 | | 7.9 | 201 | 0.25 | 50 | 175 | 100/Bag |
| KE0438 | | 7.9 | 259 | 0.25 | 69 | 175 | 100/Bag |
| KE0448 | | 7.9 | 360 | 0.25 | 102 | 175 | 100/Bag |
| KE0458 | | 7.9 | 520 | 0.25 | 152 | 175 | 100/Bag |
| KE0468 | | 7.9 | 679 | 0.25 | 203 | 175 | 100/Bag |
| KE0478 | | 7.9 | 838 | 0.25 | 254 | 175 | 100/Bag |