

BAND-IT[®]

PRODUCT

316 STAINLESS STEEL BAND (COATED & UNCOATED)

This alloy provides superior corrosion resistance in fresh water and typical atmospheres and is non-magnetic. Ideal for food process, chemical / agricultural hose assemblies, marine splash zones and some acidic environments.

Available with halogen-free coating (PPA 571) for additional corrosion resistance and smoother edges

Utilized in general use banding applications for marine splash zones

Comes with Easy Scale patented imprint on the band

to quickly determine band length without waste

316 STAINLESS STEEL BAND (COATED & UNCOATED) PRODUCT SPECIFICATIONS

PART NO.	MATERIAL	WIDTH (MM)	THICKNESS (MM)	AVERAGE BREAKING STRENGTH (LBS)	PACKAGE QUANTITY	WEIGHT (KG)
316 Stainless Steel Band Coated						
AE4329	316 SS	6.4	1.22**	335	25m/Roll	0.9
AE4339	316 SS	9.6	1.22**	505	25m/Roll	1.2
AE4349	316 SS	12.7	1.22**	670	25m/Roll	1.6
AE4359	316 SS	15.8	1.22**	840	25m/Roll	2
AE4369	316 SS	19.1	1.22**	1000	25m/Roll	2.4
<i>**Material thickness includes PPA 571 coating - Base material thickness is 0.015"</i>						
316 Stainless Steel Band Uncoated						
C40299	316 SS	6.4	0.51	400	30.5m/Roll	0.9
C40399	316 SS	9.6	0.64	750	30.5m/Roll	1.6
C403Y9	316 SS	9.6	0.64	750	Yellow Tote 30.5m/Roll	1.7
C40499	316 SS	12.7	0.76	1200	30.5m/Roll	2.2
C404B9	316 SS	12.7	0.76	1200	Blue Tote 30.5m/Roll	2.6
C40599	316 SS	15.8	0.76	1500	30.5m/Roll	2.8
C405G9	316 SS	15.8	0.76	1500	Green Tote 30.5m/Roll	3.1
C40699	316 SS	19.1	0.76	1800	30.5m/Roll	3.4
C406R9	316 SS	19.1	0.76	1800	Red Tote 30.5m/Roll	3.7

**The J02069 Pok-It II Tool with Cutter can be used with 3/8" maximum width product.*